

# THE MATHEMATICS CONCEPTS IN PHYSICS TRAINING IN SECONDARY SCHOOLS

*M.Qurbonov<sup>1</sup>, O. Q.Dehqonova<sup>2</sup>, N.A.Taylanov<sup>3</sup>*

*<sup>1</sup>National University of Uzbekistan, Tashkent, Uzbekistan, <sup>2</sup>Fergana State University, Fergana, Uzbekistan, <sup>3</sup>Jizzakh State Pedagogical Institute, Jizzax, Uzbekistan*

*e-mail [taylanov@yandex.ru](mailto:taylanov@yandex.ru)*

**Abstract:** *In the article we use the concepts of mathematics in conducting and analyzing physics classes in secondary schools. In order to ensure the continuity of physics and mathematics, we must pay attention to the sequence of topics in these textbooks. The following analyzes the relevance of topics in physics and mathematics in secondary schools.*

**Key words:** *interconnection, continuity, lesson, physics, mathematics, laboratory, absolute error, relative error, systematic error, gross error, indirect, direct.*

\*\*\*

## **Математические концепции в обучении физики в средней школе**

**Аннотация:** *В статье мы используем элементы математики при проведении и анализе уроков физики в общеобразовательной школе. Чтобы обеспечить преемственность физики и математики, мы должны обратить внимание на последовательность тем в учебниках. Далее анализируется актуальность тем по физике и математике в средних школах.*

**Ключевые слова:** *взаимосвязь, непрерывность, урок, физика, математика, лаборатория, абсолютная ошибка, относительная ошибка, систематическая ошибка, грубая ошибка, косвенная, прямая.*

\*\*\*

## **O'rta ta'lim maktablari fizika mashg'ulotlarida matematika tushunchalari**

**Annotatsiya:** *Maqolada umumta'lim maktablarida fizika darslarini o'tkazish va tahlil qilishda matematika tushunchalaridan foydalanish masalasi ko'rilgan. Fizika-matematika fanlarining uzviyligini ta'minlash uchun ushbu darsliklardagi mavzular ketma-ketligiga e'tibor qaratishimiz kerak. Umumta'lim maktablarida fizika va matematika fanlaridan mavzularning dolzarbligi tahlil qilindi.*

**Tayanch so'zlar:** *o'zaro bog'liqlik, uzluksizlik, dars, fizika, matematika, laboratoriya, mutlaq xato, nisbiy xato, sistematik xato, qo'pol xato, bilvosita, bevosita.*

## **Introduction**

As we know that, the knowledge gained through laboratory classes in physics has a significant role in its didactic properties. These opportunities should be widely used in education, especially in secondary schools. This is because all the processes taking place in nature begin to study physically. As students apply their theoretical knowledge to practice, the knowledge gained will be further strengthened. For this reason, after a certain section in physics textbooks in secondary schools, the laboratory classes related to this section will be held. In the laboratory classes, students will be able to link their theoretical knowledge to practice, further strengthen their practical skills and abilities, and increase their interest in physics. The content of lab training in physics in schools is based on measuring the values of

physical quantities, studying physical phenomena and its regularities. In this lab, we are faced with deficiencies in textbooks.

First, physics textbooks do not provide information about the methods of measuring physical quantities, or "Absolute and relative errors" before conducting laboratory trainings. However, before taking lab training, students should be aware of the above sizes. The second, the concepts of absolute and relative error are used to form mathematical concepts in the 8th grade algebra textbook that addresses the topics of absolute errors and relative errors. But in the 7th grade physics class, you have to identify absolute and relative errors in lab training. From these we can see that the topics of absolute errors and relative errors are not in the 8th grade algebra textbook but in Chapter 1 or 2 of the Grade 7 algebra textbook, so students do not have difficulty in identifying absolute and relative errors in measurements in the physical labs and have a high level of assimilation.

In this direction, our physical scientists K.A. Tursunmetov, U. Oltmishev, D. Begmatova, H.M. Sattorov "Mathematical processing of measuring techniques and results of educational laboratory experiments" (In general physics laboratory practicum), Begmatova, U. Oltmishev "The role of mathematics in improving the effectiveness of laboratory physics practicum" - Journal of Public Education and as well as A.M. Khudayberganov has studied such issues as "Issues of Continuity in Teaching Physics in General Secondary Schools". However, prior to conducting laboratory studies in secondary schools, physics textbooks should include topics such as measuring physical size, absolute and relative error, and making sure that physics and mathematics are consistent. The following are some of the physical and mathematical implications of the concepts that students need to know before taking lab classes in physics.

#### ***The statement of the problem***

Physical parameter is a quantitative characteristic of a process. Any process can be mathematically expressed using the physical quantities. Measuring physical parameters is a process of comparing it with the same homogeneous quantity. Measurements can be divided into two parts: indirect and direct measurements. If we reach the measurements that we need to measure using a measuring tool, this method is called direct or indirect measurement. For example: time, length, current, and so on. Indirect measurement is called the indirect result when a mathematical operation (indirect, division, root, logarithmic, etc.) is to be obtained by directly measuring magnitudes. When measuring any physical size many errors are made for various reasons. The error that arises from the imperfections of the measurement method or instrumentation is called a *systematic error*. This error can be measured by another method. An error that occurs for a variety of reasons is called a *random error*. For example: drastic changes in external conditions and the like. Random error reduction can only be considered as a result of repeated experiments.

Errors caused by the neglect of the experimenters are called gross errors. For example, measuring the wrong measurements on a scale of measuring devices or performing them incorrectly. For the above reasons, the experimentally measured magnitude is determined to some extent by the actual value. The error can be either absolute or relative. Difference between the arithmetic mean and  $a_0$

$$\Delta a = \bar{a} - a_0 \quad (1)$$

is called an absolute error. The relative error can be expressed as a percentage of

$$\varepsilon = \frac{\overline{\Delta a}}{a} \cdot 100\% \quad (2)$$

Will be here is the average value of the absolute magnitude. The Grade 8 algebra textbook provides information on absolute and relative errors.

### ***Scientific results and their analysis***

1. In most cases the exact values of quantities are unknown, so absolute error of approximation cannot be found. However, it is often possible to estimate absolute error if more or less convergence is known.

1 – T a s k. The upper end of the liquid column is between 21 and 22 ° C on a room thermometer. The approximate value of the temperature is 21.5. Estimate the absolute error of convergence. The exact value of the temperature  $\Delta t$  is unknown, but it is  $21 \leq t \leq 22$ . To estimate the difference between the exact value of the temperature and the approximate value, that is, the value of  $t=21.5$ , we subtract 21.5 from each part of this double inequality.  $0.5 \leq t - 21.5 \leq 0.5$ , that is  $|t - 21.5| \leq 0.5$ . Thus, the absolute error is less than 0.5. In this case, the temperature is said to be measured with accuracy up to 0.5 and is written as follows:  $t = 21.5 \pm 0.5$ . Generally, if a number  $x$  is the approximate value of  $x$  and  $|x - a| \leq h$ , then  $x$  is equal to a number  $x$  and is written as follows:

$$x = a \pm h \quad (3)$$

$|x - a| \leq h$  inequality

$$a - h \leq x \leq a + h \quad (4)$$

Note that double inequality is the same. For example,  $x = 2.43 \pm 0.01$  records that  $x$  is equal to 2.43 with a precision of 0.01, that is,  $2.43 - 0.01 \leq x \leq 2.43 + 0.01$  or  $2.42 \leq x \leq 2.44$ . The numbers 2.42 and 2.44 are the approximate values of  $x$ , respectively, with more or less the same number. In measuring the temperature normally considered in the matter, the approximate value of the temperature is 21 or 22°C. In this case, the absolute error of each approximation does not exceed 1°C. Therefore, it is generally assumed that when measuring the temperature using a thermometer with sections of 1°C, the measurement is made with accuracy up to 1°C.

For other measuring instruments, the measurement accuracy is usually calculated by the smallest unit. For example, length is measured in micrometers up to 0.01 mm, temperature is measured by medical thermometer at 0.1°C, second-hand clock shows clock time in 1 second. Thus, the measurement error depends on which instrument is measured. The smaller the convergence error, the more accurate the measurement instrument. After the teacher passes the subject, they are given a number of examples to make sure that the students understand. For example, what does the following note mean

$$x = 4.9 \pm 0.2; 2) x = 0.5 \pm 0.15$$

2. The rounding of numbers is used to deal with approximate values of various sizes in many practical matters of physics, mathematics, and technology. For example, the rate of free fall of bodies at sea level and 45° is 9.80665 m/s<sup>2</sup>. Usually this number is rounded to one in ten: 9.8. It is written as follows:  $g \approx 9.8$  (read:  $g$  is approximately 9.8).  $x \approx a$  means that a number  $x$  is an approximate value.

### **Conclusion**

Thus in this article we conclude that students will need to know the physical size measurements, what is the absolute error, the relative error, and the formula for finding this lab. We need to pay attention to the sequence of topics in these textbooks to ensure continuity of topics in physics textbooks and the continuity of physics and mathematics. As we all know, a student who is well versed in mathematics is well versed in physics.

### **References**

- 1.P. Khabibullaev, A. Boydedaev, A.D. Bakhromov, S.O. Burkhanov. "Physics textbook for 7th grade of secondary schools."
- 2.Sh.A.Alimov, O. R. Kholmuhamedov, M.A. Mirzaahmedov. "Algebra Textbook for Grade 7 of General Secondary Schools."
3. K.Onarkulov, S.H.Yakubova, O. Dehqonova. "Demonstration experiments in physics in secondary schools, textbook, Fergana 2019."
4. O. Q. Dehqonova, N.A.Taylanov, The mathematical concepts in practical trainings on physics at secondary schools, Journal of Physics and Technology Education. V. 4 № 4 (2021).